

Registered Device Installation Manual

Installation Manual

Document Information

| Attribute | Value |
|---------------|--|
| Document Name | RD Service Installation Manual – PB400 / PB ABAS 400 |
| Document # | BMS/16/UIDAI-RegisteredDevice/350/003 |
| Date Created | 31 st March 2021 |
| Author | Arunkumar. R |
| Version | 1.5 |

Version Changes

| Version # | Modification Date | Modified by | Changes done |
|-----------|-------------------------|------------------|---|
| 1.0 | 08 th Jul 17 | Balasubramaniyan | |
| 1.1 | 01 st Sep 17 | Balasubramaniyan | |
| 1.2 | 24 th Nov 17 | Rajabharath | Changed the Dialog boxes with RDService Logo, updated the CA certificate installation in Firefox. |
| 1.3 | 29 th Nov 17 | Rajabharath | Uninstallation dialog box changed. |
| 1.4 | 25 th Jun 20 | Rajabharath | Port 8443 additionally configured in Precision Management server for SSL support |
| 1.5 | 31 st Mar 21 | Arunkumar | TLS version upgraded to 1.2 |

Installation Manual

Contents

| | |
|--|----|
| 1. Introduction..... | 4 |
| 1.1. Summary..... | 4 |
| 1.2. Scope..... | 4 |
| 1.3. Audience | 4 |
| 2. Device Registration..... | 4 |
| 3. System Requirement | 5 |
| 4. Installation Procedure | 6 |
| 5. Error Code..... | 21 |
| Appendix A - Key information | 22 |
| Appendix B – Frequently Asked Questions..... | 22 |
| Appendix C – Reach us..... | 33 |

1. Introduction

1.1. Summary

The Registered Device Service called as **RD Service**, provides a common interface for the application developers to integrate the STQC certified registered biometric devices. The registered biometric devices implies that the **biometric device which is used in the application should be registered with UIDAI server**. Our RD Service will automatically register the connected device with UIDAI server. For more information on device registration, check section 2.

1.2. Scope

This document covers detailed description of the procedure involved in the installation of RD Service.

1.3. Audience

The intended audience are software developer, implementation team, system integrators and Customers.

2. Device Registration

The Biometric device which is used in the application should be registered with UIDAI in order to function properly. Once the device is connected to the host system, **our RD Service will automatically will detect and register the device with UIDAI Server**. Once the registration is successful, then the device will be operational.

Please find the Precision Device Management Server information below to whitelist server details in the internet or proxy server.

| SL NO | Particular | Details |
|-------|-------------------|---------------------------------|
| 1 | DNS Address | pbrdms.precisionbiometric.co.in |
| 2 | Public IP Address | 122.183.251.118, 115.114.95.47 |
| 3 | Port | 443, 8443 |

The biometric device registration with UIDAI Server will happen when you connect the device to the system.

If RD Service prompts an error message as **“Device information not available in Precision Management Server, please contact Device Vendor”**,

- Connect the biometric scanner to the system and access the URL (https://pbrdms.precisionbiometric.co.in/RDMS_Server_Prod/DeviceInfo.aspx) and provide the below information to activate the device
 - Customer Name

- Email Address
- Mobile Number
- Serial number behind the fingerprint device
- Reference Number

Device Details

Device Details

Name*

Phone Number*

E-Mail ID

Serial Number*

Reference Number*

- If you are not able to access the URL, share the device serial number to Precision Support team (check the Appendix C for Support Team contact details) to activate the device.

Please note that the device registration in UIDAI Preproduction & Production server will take minimum 24hrs to activate.

3. System Requirement


The following table describes the minimum hardware and software requirement for RD service as per UIDAI specification:

| SL NO | Component | Minimum Requirement |
|-----------------------------|------------------|--|
| Hardware Requirement | | |
| 1 | Operating System | Windows 7, Windows 8, Windows 8.1 & Windows 10 |
| 2 | RAM | 2 GB |
| 3 | Hard disk | 500 MB free space |
| 4 | Port | 11100 to 11120 (RD Service run in any one port) |
| 5 | Rights | Administrator right |
| 6 | Browser | Internet explorer 8 & above, google chrome, Mozilla Firefox, opera |
| Software Requirement | | |
| 1 | .Net Framework | 4.5 or above |

4. Installation Procedure

Before starting the installation of RD Service, please make sure that the following condition are met:


1. Check the system minimum requirements are met (check section 3 for more information)
2. Unplug the biometric device from the system.
3. Uninstall the previous version of the RD Service.
 - a. Go to **"Run"** prompt, type **"appwiz.cpl"** and press enter
 - b. Search for **"PBRDService"**, **"PBManagementClient"**, **"Precision-PBABAS400"** and click **"Uninstall"** button to remove the package.



4. Make sure that you have administrator privilege to start the installation.
5. Make sure **USB port** are enabled for communication
6. Download / copy the RD Service to the local system


Follow the below procedure to installation the RD Service:

1. Login into the system as **administrator**
2. Open the **RD Service** Package location.





Installation Manual


3. Right click "**PBRDService.exe**" and select **Run as administrator**
4. Please close all running browsers & unplug the fingerprint scanner from the system and press **OK** button to proceed the installation otherwise click **Cancel** button to cancel the installation.




5. If the RD Service is already installed the following screen will appear:
 - a. Click **OK**




- b. Click **Close**




6. Right click "**PBRDService.exe**" and select **Run as administrator**
7. Please close all running browsers & unplug the fingerprint scanner from the system and press **OK** button to proceed the installation otherwise click **Cancel** button to cancel the installation.




8. Click on **Next** to start the installation




9. Click on **I Agree**




10. Click on **Next** Make sure all the check box are checked




11. Click on **Install**







12. If Biometric Scanner drivers are installed already, the following screen will appear.
- Click on **OK** to remove the previous installation




- b. If the following screen appear, Click on **Remove** to remove the previous installation, otherwise proceed to next step




- c. If the following screen appear, click on **Next**




- d. Click on Finish to close the uninstallation wizard.



- e. Click on **No** in the following screen




- f. Click **Close** to close the wizard




- g. Click on **Next** to start the installation




- h. Click on **Next** to continue the installation




- i. Click on **Next**



- j. Click **Finish** to close the wizard




- k. Select **No** in the following screen




13. If the management client is already installed, the following screen will appear:


- a. Click on **ok** to remove the previous installation




- b. Click on **Close**





14. If the following message box appear, Click “Yes” to delete the old certificate



15. Click “Yes” to proceed



16. Click on **Close** to complete the installation.



Note:

It is highly recommended to reboot the system after successful installation.



Once the installation is completed, please do the following activities:

1. Check the Status of the service
 - a. Go to **run** prompt, type **services.msc** and press **enter**
 - b. Search for the following services
 - i. PrecisionBiometricService
 - ii. PrecisionManagementClient
 - iii. PrecisionRDService
 - c. The services should be in **started** status. If any one of the services are not found, check the FAQ for more details.


| | | | |
|---------------------------|------------------|---------|-----------|
| Power | Manages p... | Started | Automatic |
| PrecisionBiometricService | | Started | Automatic |
| PrecisionManagementClient | Precision Bi... | Started | Automatic |
| PrecisionRDService | Precision Bi... | Started | Automatic |
| Print Spooler | Loads files t... | Started | Automatic |

Procedure to test the scanner:



1. Go to the RD Service installation location (if it is x86 based system, “**C:\Program Files\Precision Biometric\PBRDService**” and if it is x64 based, the installation folder will be “**C:\Program Files(x86)\Precision Biometric\PBRDService**”)
2. Connect the scanner to the system and wait for the following notifications. If you are getting any other notification message, Check FAQ section to resolve the issue.




3. Open the “**PrecisionRDServiceTestApplication.html**” with internet explorer or other supported browser



4. Click on **“Discover”** button to discover the Precision RD Service




5. If **“RDService Discover Successfully”**, Click on **“Capture”** button to capture the fingerprint



Installation Manual

6. If the fingerprint is captured successfully, the following data will displayed



Note:

Please note that the device registration in UIDAI server will take minimum 24hrs to take activate.

5. Error Code

This section will brief the list of error codes and their description:

| SL NO | Error Code | Error Description | Action to be taken |
|-------|------------|---------------------------------------|---|
| 1 | 700 | Capture time out | Try capture again |
| 2 | 710 | Device is used by another application | Biometric capture is involved by another application, try capture image after some time |
| 3 | 720 | Device not ready | Check info / errInfo element for more information |
| 4 | 730 | Capture Failed | Try capture again |
| 5 | 740 | Device needs to be reinitialized | Unplug the device and plug it again |

For all other error codes or error message, please contact the appropriate application team to resolve the issue.

Installation Manual

Appendix A - Key information

These are the key information, you should know:

RD Service Installation folder:

If the windows operating system is x86 based, the installation folder will be “C:\Program Files\Precision Biometric\PBRDSERVICE” and if it is x64 based, the installation folder will be “C:\Program Files(x86)\Precision Biometric\PBRDSERVICE”.

RD Management Client Installation folder:

If the windows operating system is x86 based, the installation folder will be “C:\Program Files\Precision Biometric\PBManagementClient” and if it is x64 based, the installation folder will be “C:\Program Files(x86)\Precision Biometric\PBManagementClient”.

Access Log files:

Procedure to be followed to access the log files:

1. Login into the system as administrator
2. Open the “Run” prompt, type “temp” and press enter. If there is any folder with the name “Precision Biometric”, zip it and send the same to Precision Team.
3. Open the “Run” prompt, type “%temp%” and press enter. If there is any folder with the name “Precision Biometric”, zip it and send the same to Precision Team.

Appendix B – Frequently Asked Questions

1) How to install .Net Framework in the client system?

Follow the below steps to download and install .Net Framework:

1. Open the following url in web browser or Search for .net framework 4.5.1 offline installer in google website (<https://www.google.co.in>)
<https://www.microsoft.com/en-in/download/details.aspx?id=40779>
2. Download the .Net Framework
3. Double click on the executable to install the .net framework.

If you are facing any issue during installation, search in internet “**how to install or enable .Net framework 4.5 in operating system**”. Replace the word “operating system” with the OS version. For e.g., windows 7 or windows 8 etc.

Installation Manual


2) What I have to do, when there is no “PrecisionBiometricService” service in my system?

This message will appear due to the following reasons:

1. Biometric Device drivers are not properly installed.

To resolve this issue,

1. Open the **Drivers** folder in **RD Service** downloaded Package



2. Install the application available in the folder.

If you are still facing the problem, contact the Precision Biometric – Support Team or write us (rdservices@precisionbiometric.co.in) about the error or contact the support team or concern person.


3) What I have to do, when there is no “PrecisionManagementClient” service in my system?

This message will appear due to the following reasons:

1. Precision Management Client application is not installed properly

To resolve this issue,

1. Open the **ManagementClient** folder in **RD Service** downloaded Package.



2. Install the **PBManagementClient.exe**

If you are still facing the problem, contact the Precision Biometric – Support Team or write us (rdservices@precisionbiometric.co.in) about the error or contact the support team or concern person.

Installation Manual

4) What I have to do, when there is no “PrecisionRDService” service in my system?

This message will appear due to the following reasons:

1. RD Service not properly installed

To resolve this issue,

1. Install the RD service. Please check the installation section for more information.

If you are still facing the problem, contact the Precision Biometric – Support Team or write us (rdservices@precisionbiometric.co.in) about the error or contact the support team or concern person.

5) What I have to do, when I get “RD Service not installed, Please install” as notification message?

This message will appear due to the following reasons:

1. RD service not installed properly installed.
2. Components of RD Service is not installed

To resolve this issue,

1. Login into the system as administrator
2. Reinstall the **RD Service Package** (Check the 4 for more information)

If you are still facing the problem, contact the Precision Biometric – Support Team or write us (rdservices@precisionbiometric.co.in) about the error or contact the support team or concern person.

6) What I have to do, when I get “Device information not available in Precision Management Server, please contact Device Vendor” as notification message?

This message will appear due to the following reasons:

1. Biometric Scanner serial number is not available in the Precision Management server.

To resolve these issue,

1. Make sure that the biometric scanner is purchased from Precision. If yes, share the serial number of the device to Precision Biometric support (Check Section 2 to more information on device registration and Appendix C for more details on contact information)

If you are still facing the problem, contact the Precision Biometric – Support Team or write us (rdservices@precisionbiometric.co.in) about the error or contact the support team or concern person.

7) What I have to do, when I get “Unable to connect to the Precision device Management server” as notification message?

This message will appear due to the following reasons:


1. Internet connection is not available
2. Not able to connect to Precision Management Server
3. Proxy server details are not configured in the Internet explorer browser

To resolve this issue

1. Make sure that the system is connect to internet

Installation Manual

2. Make sure that the Precision Management Server IP address or URL is not blocked by the antivirus, windows firewall or proxy server. Check section 2 for more information on Management Server IP Details
3. If the client system is connected under a network or proxy, make sure that the Precision Management Server IP address is included as an exception in Network Firewall rules, both Inbound and Outbound rules.
4. Procedure to configure Proxy in IE:
 - a. Open the IE browser and go to “Internet Options”
 - b. Go to “Connections” tab, click on “LAN Settings”
 - c. Click on the check box “Use a proxy server for your LAN” as shown below



- d. Configure the IP Address and port as shown above.
- e. Click **ok** to save the configuration
- f. Click **ok** on Internet Option to save.

If you are still facing the problem, contact the Precision Biometric – Support Team or write us (rdservices@precisionbiometric.co.in) about the error or contact the support team or concern person.

8) What I have to do, when I get “Updated version of Precision RD Service is available, Install the updated version to continue/Management client update is available, Install the updated version to continue/Device update is available, Install the updated version to continue” as notification message?


This message will appear due to the following reasons:

1. New version of RD Service is available
2. New version of Management Client is available
3. New version of Device drivers is available


To resolve this issue:

1. Download and install the latest version of rd service.
 - a. Click on the **Download** to download the latest rd service version

Installation Manual



- b. Select a location to save the download



- c. Please wait of few minutes for downloading the update from the server (Download time will vary based on your internet speed)
- d. Click on the **"Install"** button to update the rd service and continue the installation procedure or **"Install Later"** to manually install the update later

If you are still facing the problem, contact the Precision Biometric – Support Team or write us (rdservices@precisionbiometric.co.in) about the error or contact the support team or concern person.

9) What I have to do, when I get "Fingerprint scanner not connected properly, Please reconnect" as message?

This message will appear due to the following reasons:

1. Precision supported biometric scanner is not connected to the system
2. USB port might be blocked
3. Scanner drivers might not be installed properly

To resolve this issue,

1. Check whether the biometric scanner is connected to the system properly
2. If you are still facing the same problem, unplug the device and connect it in other USB port (Try in all available USB port)
3. If you are still facing the same problem, Login into the system as administrator. Open the Device Manager and find any device with name **"Authentication Device"**.



4. If you are able to find the device, go to “run” prompt and then type “**services.msc**”, press **Enter**. Find the service in the name of “**PrecisionBiometricService**”, restart it and then check in the application. If you are not able to find the device, proceed to next step.
5. If you find any device with “**examinatory (!) Or question (?)**”, Go to the **RD Service Package** location and open the “**drivers**” folder and install the “**Precision-PBABAS400.exe**”. Once the driver installation completed, go to “run” prompt and then type “**services.msc**”, press enter. Find the service in the name of “**PrecisionBiometricService**”, restart it and then check in the application.

If you are still facing the problem, contact the Precision Biometric – Support Team or write us (rdservices@precisionbiometric.co.in) about the error or contact the support team or concern person.


10) What I have to do, when I get “System date and time is incorrect, Please change it to continue” as notification message?

This message will appear due to the following reasons:

1. System date and time is not synchronous with UIDAI server


To resolve this issue,

1. Make sure that the system date and time is correct




2. Make sure that the system time zone is correct. To check the system time zone, follow the below procedure
 - a. Click **Start** and select **Control Panel**
 - b. Make sure that the control panel is arranged by **small icons**. To Change arrangement, Click **View by** and select **small icons**


Installation Manual



c. Click on **Date and Time**



d. Make sure that the time zone is set correctly



If you are still facing the problem, contact the Precision Biometric – Support Team or write us (rdservices@precisionbiometric.co.in) about the error or contact the support team or concern person.

Installation Manual

11) What I have to do, when I get “Device registration with UIDAI failed” as notification message?

This message will appear due to the following reasons:

1. If there is any communication failure between the host system and Precision Management Server

To resolve this issue:

1. Make sure that the internet connection is available
2. Unplug the scanner and plug it again, wait for five minutes.

If you are still facing the problem, contact the Precision Biometric – Support Team or write us (rdservices@precisionbiometric.co.in) about the error or contact the support team or concern person.

12) What I have to do, when I get “Device key updation with Precision Management Server failed” as notification message?

This message will appear due to the following reasons:

1. If there is any communication failure between the host system and Precision Management Server

To resolve this issue:


1. Make sure that the internet connection is available
2. Unplug the scanner and plug it again, wait for five minutes.

If you are still facing the problem, contact the Precision Biometric – Support Team or write us (rdservices@precisionbiometric.co.in) about the error or contact the support team or concern person.


13) How to enable https support for RD Service?

Procedure to enable https support:


1. Open the web browser where need to enable https support.
2. Type the url (https://localhost:11152) and press enter
3. Follow the step based on browsers
 - a. In google Chrome, Click **Advanced**




Click **Proceed to localhost**




- b. In Mozilla Firefox,
i) Click **Menu**→**Options**




- ii) Click on **Privacy & Security**




iii) Scroll down to the bottom and click on **View Certificates**




iv) Click on **Import**



- v) Browse for **C:\Program Files (x86)\Precision Biometric\PBRDSERVICE**, Select **Precision-CA.cer** and click on **Open**,



- vi) Make sure the check boxes **Trust this CA to identify websites**, **Trust this CA to identify email users**, **Trust this CA to identify software developers** are checked as shown in the fig., and click **OK**.



- vii) Restart the browser.

Appendix C – Reach us

For any assistance feel free to contact the Precision Biometric Technical Support Team.

| Escalation | Timeline | Contact Person | Contact No & Email |
|-----------------------|----------------------|--|---|
| 1 st Level | When incident occurs | Remote support engineers | rdservices@precisionbiometric.co.in Phone: 044-3301 5349 / 351 / 353 |
| 2 nd Level | 24 hours | Service Desk Manager Mr. Shaik Abdullah | shaikabdullah.shahabuddin@precisionit.co.in Phone: +91-9940 680 274 / 044-3301 5179 |
| 3 rd Level | 2 Working days | Technical Support | techsupport@precisionbiometric.co.in |

Please share us the below information to easy the support process:

- Installed RD Service Version
- Name of the customer
- Contact Details (including mobile number and mail id)
- Device model
- Purpose of using the biometric scanner
- Purchase bill / Invoice copy
- Screen shot of the issue